EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	7	("4707780").PN. OR ("4754208").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 10:32
L3	3	(laser near5 (machin$3 or ablat$3 or cut$4 or mill$3) near5 (continu$5 or progress$4) near5 (chang$3 or alter$3 or modif$4 or adjust$3 or modulat$3) near5 (radius or speed or velocity or angle or angular or path or course or trajectory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:44
L4	16	(laser near5 (machin$3 or ablat$3 or cut$4 or mill$3) with(control$4 or module or modulat$3 or system or unit or means or part) with (continu$5 or progress$4) with (chang$3 or alter$3 or modif$4 or adjust$3) with(radius or speed or velocity or angle or angular or path or course or trajectory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:54
L7	228	((laser or beam or light or irradiat$3 or radiat$3) with (scalp$3 or machin$3 or ablat$3 or cut$4 or mill$3) same(control$4 or module or modulat$3 or system or unit or means or part) same ("non-uniform" or (non near2 uniform)or "non-linear" or (non near2 linear) or "nonlinear") same (varying or variable or varied or vary or chang$3) same (speed or radius or arc or path or trajectory or course or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 11:15

3/29/2007 5:46:39 PM

Page 1

C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L9	88	7 and (spiral or circle or ellipse or elliptical or sphere or spherical or round)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 11:15
L13	35	("4275286" | "4332999" | "4391519" | "4640382" | "4670639" | "4681656" | "4786358" | "5034591" | "5103074").PN. OR ("5632083").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 11:32
L15	1857	((laser or beam or irradiat$3 or radiat$3) with (scalp$3 or machin$3 or ablat$3 or cut$4 or mill$3)with (radius or (angular (speed or velocity))) near50 (control$3 or module or modulat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 11:56
L17	454	((laser or beam or irradiat$3 or radiat$3) near5 (scalp$3 or machin$3 or ablat$3 or cut$4 or mill$3)near5 (radius or (angular (speed or velocity))) near50 (control$3 or module or modulat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:33
L18	156	17 and (spiral or ellipse or elliptical or circular or circle or sphere or spherical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:33

3/29/2007 5:46:39 PM

Page 2

C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L20	202	((laser or beam or irradiat$3 or radiat$3) near100 (control$4 or module or modulat$3) near100 (modif$6 or adjust$3 or alter$3 or chang$3) near5 ((angular or angle or arc or trajectory or countour) near5 (speed or velocity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:58
L23	173	((laser or beam)near100 (control$4 or module or modulat$3) near100 (modif$6 or adjust$3 or alter$3 or chang$3) near5 ((angular or angle or arc or trajectory or countour) near5 (speed or velocity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 13:03
L31	60	(laser with(((path or trajectory or contour or course or travel$4)or((angular or arc or circular or angle)near5 velocity))with (module or control$4))with (constant with speed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:32
L33	16	(laser near5(module or control$4)near5((angular or arc or circular or angle)near5 velocity)with ("PZT" or scan$4 or "F-theta" or telecentric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:36
L34	3381	(laser near5 (machin$3 or ablat$3 or cut$4 or mill$3) near5 ("PZT" or scan$4 or "F-theta" or (F near2 theta) or telecentric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:43

L35	3376	(laser near5 (machin$3 or ablat$3 or cut$4 or mill$3) near5 ("PZT" or scan$4 or "F-theta" or (F near2 theta)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:50
L43	711	219/121.71.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L44	854	219/121.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L45	1095	219/121.67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L46	1209	219/121.68.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08

3/29/2007 5:46:39 PM

Page 4

C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1;

L47	1544	219/121.69.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L48	755	219/121.78.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L49	217	219/121.79.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L50	577	219/121.8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08
L51	309	700/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:08

L52	266	700/166.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08
L53	159	700/161.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08
L54	1518	L42 or L43 or L44	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08
L55	5530	L54 or L45 or L46 or L47 or L48 or L49 or L50	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08
L56	6149	L55 or L51 or L52 or L53	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08

3/29/2007 5:46:39 PM

Page 6

C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L57	4	L56 and ((laser near5 (machin$3 or ablat$3 or cut$4 or mill$3)) and (("PZT" near2 scan$4) or "F-theta" or (F near2 theta)))and ((("non-uniform" or (non near2 uniform))same (chang$3 or adjust$3 or alter$3)and (radius or path or progrssion or travel or trajectory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:12
L71	1100	((laser near5 (machin$3 or ablat$3 or cut$4 or mill$3 or drill$3 or punch$3)) near5 (spiral or circular or circle or concentric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:47
L73	15	("20030102291"|"20030213787"|"5593606"|"5841099"|"5856649"|"6433301"|"6518543"|"6541732").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:57
L74	112	71 and ((constant same speed)and radius)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:12
L75	2	(("6221229") or ("6531679")).PN.	USPAT	OR	OFF	2007/03/29 17:25